

Analisis de Jugos, Masas, Mieles, Magmas:

ID	Analisis	Hora M.	Hora A.	Brix	Pol	Pureza	P.H.	Fosfato	Color	Turb.
11	JUGO PRIMARIO	01.20	01.37	18.80	16.28	86.60	.00	.00		
11	JUGO PRIMARIO	06.00	07.13	17.60	14.53	82.56	.00	.00		
11	JUGO PRIMARIO	10.00	10.47	17.30	14.59	84.34	.00	.00		
11	JUGO PRIMARIO	14.00	15.00	17.60	14.77	83.92	.00	.00		
11	JUGO PRIMARIO	18.00	18.55	19.50	16.60	85.13	.00	.00		
11	JUGO PRIMARIO	21.00	21.45	19.30	16.65	86.27	.00	.00		
12	JUGO MIXTO	01.20	01.38	16.90	14.58	86.27	5.16	.00		
12	JUGO MIXTO	06.00	07.13	14.50	11.93	82.28	5.24	.00		
12	JUGO MIXTO	10.00	10.47	13.70	11.43	83.43	5.45	.00		
12	JUGO MIXTO	14.00	15.00	15.60	12.68	81.28	5.50	.00		
12	JUGO MIXTO	18.00	18.55	17.00	14.30	84.12	5.15	.00		
12	JUGO MIXTO	21.00	21.45	15.50	13.29	85.74	5.32	.00		
13	JUGO RESIDUAL	01.20	01.38	5.70	4.64	81.40	.00	.00		
13	JUGO RESIDUAL	06.00	07.13	4.80	3.74	77.92	.00	.00		
13	JUGO RESIDUAL	10.00	10.47	4.00	3.23	80.75	.00	.00		
13	JUGO RESIDUAL	14.00	15.00	4.50	3.61	80.22	.00	.00		
13	JUGO RESIDUAL	18.00	18.56	6.00	4.96	82.67	.00	.00		
14	JUGO CLARIFICADO	01.20	01.38	14.90	12.70	85.23	6.65	.00		
14	JUGO CLARIFICADO	06.00	07.14	15.40	13.07	84.87	6.25	.00		
14	JUGO CLARIFICADO	10.00	10.48	14.50	12.31	84.90	6.67	.00		
14	JUGO CLARIFICADO	14.00	15.00	16.10	13.65	84.78	6.27	.00		
14	JUGO CLARIFICADO	18.00	18.56	16.40	14.73	89.82	6.13	.00		
14	JUGO CLARIFICADO	21.00	21.46	15.70	13.48	85.86	5.97	.00		
15	JUGO FILTRADO	01.20	01.41	5.90	4.85	82.20	7.68	.00		
15	JUGO FILTRADO	06.00	07.14	5.20	4.01	77.12	7.48	.00		
15	JUGO FILTRADO	10.00	10.50	5.70	4.66	81.75	6.86	.00		
15	JUGO FILTRADO	14.00	15.01	5.40	4.46	82.59	.00	.00		
15	JUGO FILTRADO	18.00	18.57	8.10	6.64	81.98	7.53	.00		
15	JUGO FILTRADO	21.00	21.46	6.30	5.43	86.19	6.65	.00		
21	MELADURA	01.20	01.39	50.40	43.60	86.51	5.99	.00		
21	MELADURA	06.00	07.14	54.80	48.20	87.96	5.97	.00		
21	MELADURA	10.00	10.49	56.60	48.28	85.30	5.95	.00		
21	MELADURA	14.00	15.01	50.20	43.96	87.57	6.04	.00		
21	MELADURA	18.00	18.56	58.80	49.92	84.90	5.53	.00		
21	MELADURA	21.00	21.46	55.00	45.56	82.84	5.74	.00		
31	MASAS "A"	00.05	00.38	94.20	82.40	87.47	.00	.00		
31	MASAS "A"	01.05	01.47	92.00	78.76	85.61	.00	.00		
31	MASAS "A"	05.10	05.29	92.80	76.40	82.33	.00	.00		
31	MASAS "A"	07.15	07.47	93.40	81.72	87.49	.00	.00		
31	MASAS "A"	08.25	09.05	94.00	82.20	87.45	.00	.00		
31	MASAS "A"	10.30	11.01	93.80	79.48	84.73	.00	.00		
31	MASAS "A"	12.45	15.03	95.40	83.84	87.88	.00	.00		
31	MASAS "A"	14.50	15.11	94.40	80.56	85.34	.00	.00		
31	MASAS "A"	16.15	16.42	95.00	80.20	84.42	.00	.00		
31	MASAS "A"	19.20	20.11	93.00	79.00	84.95	.00	.00		
31	MASAS "A"	22.15	22.32	93.60	79.80	85.26	.00	.00		
31	MASAS "A"	23.00	02.14	93.20	79.68	85.49	.00	.00		
31	MASAS "A"	23.00	02.13	94.00	81.96	87.19	.00	.00		
31	MASAS "A"	23.00	01.13	97.00	62.40	64.33	.00	.00		
31	MASAS "A"	23.30	04.47	92.20	78.40	85.03	.00	.00		
31	MASAS "A"	23.41	08.49	92.80	80.72	86.98	.00	.00		
31	MASAS "A"	23.42	12.01	93.40	80.48	86.17	.00	.00		
31	MASAS "A"	23.44	14.14	92.80	79.40	85.56	.00	.00		
31	MASAS "A"	23.46	16.46	93.40	80.76	86.47	.00	.00		

ID	Analisis	Hora M.	Hora A.	Brix	Pol	Pureza	P.H.	Fosfato	Color	Turb.
32	MASAS "B"	03.35	03.48	94.80	67.60	71.31	.00	.00		
32	MASAS "B"	09.25	09.40	95.80	62.00	64.72	.00	.00		
32	MASAS "B"	23.40	07.15	95.40	60.32	63.23	.00	.00		
32	MASAS "B"	23.43	11.22	95.20	62.00	65.13	.00	.00		
32	MASAS "B"	23.45	16.03	95.40	62.68	65.70	.00	.00		
33	MASAS "C"	00.05	00.37	98.00	55.80	56.94	.00	.00		
33	MASAS "C"	11.00	11.53	97.00	52.60	54.23	.00	.00		
33	MASAS "C"	19.50	20.22	98.00	55.28	56.41	.00	.00		
41	MIELES "A"	02.00	02.12	80.40	54.20	67.41	.00	.00		
41	MIELES "A"	06.00	06.59	81.60	54.04	66.23	.00	.00		
41	MIELES "A"	10.00	10.58	82.20	55.04	66.96	.00	.00		
41	MIELES "A"	14.00	15.06	83.60	55.12	65.93	.00	.00		
41	MIELES "A"	18.00	18.48	83.60	52.92	63.30	.00	.00		
41	MIELES "A"	21.00	21.40	82.00	52.80	64.39	.00	.00		
41	MIELES "A"	23.00	02.20	83.00	52.72	63.52	.00	.00		
41	MIELES "A"	23.35	07.12	82.40	52.12	63.25	.00	.00		
41	MIELES "A"	23.36	10.58	78.60	51.32	65.29	.00	.00		
42	MIELES "B"	06.00	07.00	90.20	36.56	40.53	.00	.00		
42	MIELES "B"	10.00	10.59	90.20	39.28	43.55	.00	.00		
42	MIELES "B"	14.00	15.07	92.40	42.44	45.93	.00	.00		
43	MIEL FINAL	02.00	02.11	84.00	28.84	34.33	5.29	.00		
43	MIEL FINAL	06.00	07.01	89.80	28.20	31.40	5.31	.00		
43	MIEL FINAL	10.00	11.00	80.00	27.76	34.70	5.35	.00		
43	MIEL FINAL	14.00	15.09	84.40	29.12	34.50	5.29	.00		
43	MIEL FINAL	18.00	18.47	82.60	31.04	37.58	5.31	.00		
43	MIEL FINAL	21.00	21.36	85.20	35.60	41.78	5.27	.00		
43	MIEL FINAL	23.35	07.14	85.20	33.44	39.25	5.28	.00		
43	MIEL FINAL	23.36	11.01	76.40	32.92	43.09	5.24	.00		
43	MIEL FINAL	23.37	14.16	76.60	32.80	42.82	5.26	.00		
51	MAGMA "B"	06.00	07.00	94.00	86.08	91.57	.00	.00		
51	MAGMA "B"	10.00	10.59	92.60	86.16	93.05	.00	.00		
51	MAGMA "B"	14.00	15.08	93.60	85.04	90.85	.00	.00		
52	MAGMA "C"	02.00	02.10	92.60	82.96	89.59	.00	.00		
52	MAGMA "C"	06.00	07.00	90.40	82.20	90.93	.00	.00		
52	MAGMA "C"	10.00	11.00	88.20	80.32	91.07	.00	.00		
52	MAGMA "C"	14.00	15.09	94.80	82.00	86.50	.00	.00		
52	MAGMA "C"	18.00	18.45	94.60	81.20	85.84	.00	.00		
52	MAGMA "C"	21.00	21.34	92.40	81.04	87.71	.00	.00		
52	MAGMA "C"	23.00	02.17	95.40	77.64	81.38	.00	.00		
52	MAGMA "C"	23.35	07.13	88.80	77.20	86.94	.00	.00		
52	MAGMA "C"	23.36	10.59	88.40	82.20	92.99	.00	.00		
52	MAGMA "C"	23.37	14.22	88.60	81.80	92.33	.00	.00		

**Analisis de Jugo Alcalizado y Sulfitado:**

ID	Analisis	Hora M.	Hora A.	PH.
16	JUGO ALCALIZADO	01.20	01.42	7.05
16	JUGO ALCALIZADO	06.00	07.14	6.90
16	JUGO ALCALIZADO	10.00	10.51	7.45
16	JUGO ALCALIZADO	14.00	15.01	6.96
16	JUGO ALCALIZADO	18.00	18.58	7.10
16	JUGO ALCALIZADO	21.00	21.46	7.38
12	JUGO MIXTO	01.20	01.38	5.16
12	JUGO MIXTO	06.00	07.13	5.24
12	JUGO MIXTO	10.00	10.47	5.45
12	JUGO MIXTO	14.00	15.00	5.50
12	JUGO MIXTO	18.00	18.55	5.15
12	JUGO MIXTO	21.00	21.45	5.32

**Analisis Aguas de Caldera:**

ID	Analisis	Caldera	Hora M.	Hora A.	P.H.	Conduc	Fosfato	Dureza
61	AGUA DE CALDERAS	5.0	00.05	00.26	10.77	1,081	10.00	.00
61	AGUA DE CALDERAS	5.0	02.00	02.30	10.70	767	10.00	.00
61	AGUA DE CALDERAS	5.0	06.00	07.15	10.74	805	10.00	.00
61	AGUA DE CALDERAS	5.0	09.00	09.44	10.80	818	10.00	.00
61	AGUA DE CALDERAS	5.0	12.00	12.16	10.77	900	10.00	.00
61	AGUA DE CALDERAS	5.0	15.00	15.17	11.10	1,197	10.00	.00
61	AGUA DE CALDERAS	5.0	18.00	18.12	11.40	1,536	10.00	.00
61	AGUA DE CALDERAS	5.0	21.00	21.17	11.18	1,160	10.00	.00
61	AGUA DE CALDERAS	5.0	23.45	02.47	9.98	432	10.00	.00
61	AGUA DE CALDERAS	5.0	23.50	00.23	10.82	780	10.00	.00
61	AGUA DE CALDERAS	6.0	00.05	00.26	11.19	1,885	10.00	.00
61	AGUA DE CALDERAS	6.0	02.00	02.31	10.84	1,525	10.00	.00
61	AGUA DE CALDERAS	6.0	06.00	07.34	10.16	412	.00	.00
61	AGUA DE CALDERAS	6.0	06.00	07.15	10.79	1,227	10.00	.00
61	AGUA DE CALDERAS	6.0	09.00	09.44	10.74	1,053	10.00	.00
61	AGUA DE CALDERAS	6.0	12.00	12.16	10.40	860	10.00	.00
61	AGUA DE CALDERAS	6.0	15.00	15.17	10.53	840	10.00	.00
61	AGUA DE CALDERAS	6.0	18.00	18.12	10.54	923	10.00	.00
61	AGUA DE CALDERAS	6.0	21.00	21.17	10.48	935	10.00	.00
61	AGUA DE CALDERAS	6.0	23.45	02.48	10.23	779	10.00	.00
61	AGUA DE CALDERAS	6.0	23.50	00.23	10.51	863	10.00	.00
61	AGUA DE CALDERAS	6.0	23.51	09.50	5.89	610	.00	.00
61	AGUA DE CALDERAS	6.0	23.52	13.00	5.07	1,405	.00	100.00
61	AGUA DE CALDERAS	6.0	23.53	15.59	5.13	1,974	.00	100.00

**Analisis de Bagazo y Cachaza:**

ID	Analisis	Hora M.	Hora A.	Pol	Humedad
65	BAGAZO	01.20	01.44	2.89	46.00
65	BAGAZO	06.00	07.16	3.05	46.60

ID	Analisis	Hora M.	Hora A.	Pol	Humedad
65	BAGAZO	10.00	10.51	2.75	45.80
65	BAGAZO	14.00	15.01	3.03	45.90
65	BAGAZO	18.00	19.00	2.86	46.20
65	BAGAZO	21.00	21.47	3.19	46.90
69	CACHAZA FILTRO PRENSA	01.20	01.45	1.90	46.30
69	CACHAZA FILTRO PRENSA	06.00	07.16	2.54	47.20
69	CACHAZA FILTRO PRENSA	10.00	10.52	2.32	46.20
69	CACHAZA FILTRO PRENSA	14.00	15.02	1.64	45.40
69	CACHAZA FILTRO PRENSA	18.00	19.01	1.90	46.00
69	CACHAZA FILTRO PRENSA	21.00	21.47	1.80	46.30

Analisis de Azucar:

ID	Analisis	Hora M.	Hora A.	Pol	Color	Ceniza	Ins	Humedad	Sulfitos	P. Floc	Puntos N.	Part. Micro.
71	AZUCAR CRUDO	00.05	00.10	98.75	2,941	.150		.00				.00
71	AZUCAR CRUDO	00.05	00.22	98.76	1,954	.120		.34				.00
71	AZUCAR CRUDO	03.00	03.20	98.61	2,579	.150		.26				.00
71	AZUCAR CRUDO	03.00	03.37	.00		.000		.22				.00
71	AZUCAR CRUDO	06.00	06.42	98.71	2,111	.130		.13				.00
71	AZUCAR CRUDO	09.00	09.30	98.76	3,100	.160		.13				.00
71	AZUCAR CRUDO	12.00	13.26	98.73	2,829	.120		.36				.00
71	AZUCAR CRUDO	15.00	15.32	98.64	2,154	.150		.17				.00
71	AZUCAR CRUDO	18.00	18.33	98.70	2,114	.100		.00				.00
71	AZUCAR CRUDO	18.00	22.00	.00		.000		.36				.00
71	AZUCAR CRUDO	18.50	18.51	.00		.000		.18				.00
71	AZUCAR CRUDO	21.00	21.23	98.65	2,148	.120		.00				.00
71	AZUCAR CRUDO	23.00	02.46	98.71	2,134	.130		.00				.00
71	AZUCAR CRUDO	23.35	08.15	98.64	2,246	.140		.39				.00
71	AZUCAR CRUDO	23.36	10.22	98.61	2,941	.150		.21				.00